

EAST - [Untitled1:2]

File

View

Edit

Tools

Window

Help

Drafts

BRS:

IS&R:

IS&R: ("1000009").PN.

Pending

Active

L4: (31) L1 and wear

L5: (26) L1 and friction

L6: (17) 12 and (friction or wear)

L7: (21) 13 and (friction or wear)

L10: (50) 18 and (friction or wear)

L11: (46) 19 and (friction or wear)

L1: (275) (296/216.06-216.09).CCLS.

L12: (0) 11 and B near2 shape

L13: (85) 11 and B

L14: (1) 18 and B near2 shape

L2: (114) (296/220.01).CCLS.

L15: (1) 19 and B near2 shape\$

L16: (67) 19 and B

L3: (111) (296/216.03).CCLS.

L17: (215) "49"/\$.ccls. and B with seal

L18: (3) "49"/\$.ccls. and B near2 shape\$ w

L9: (358) (49/495.1).CCLS.

L8: (589) (49/498.1).CCLS.

Failed

Saved

S1: (1) ("6010174").PN.

S2: (574) (296/97.9.97.11.97.12).CCLS.

Search

List

Browse

Queue

Clear

DBs

US-PGPUB:USPAT

Default operator:

OR

Highlight all hit terms initially

49/498.1

Structured form

Custom form

BRS form

IS&R form

Hits

Details

Drafts

Pending

Active

Failed

Saved

Favorites

Tagged (4)

UDC

Queue

Trash

	U	1	Document ID	Issue Dat	Page	Title	Current O
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5039161 A	19910813	8	Sliding or sliding-lifting roof fo	296/212
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 2736076 A	19560228	3	TEXT AVAILABLE IN USOCR DATABASE	49/495.1
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 2701395 A	19550208	3	Refrigerator door [TEXT AVAILABLE IN USOCR DATA	49/495.1
4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5311702 A	19940517	5	Door seals	49/495.1

Hits

Details

HTML

Ready

NUM

BEST AVAILABLE COPY

EAST - [Untitled1:2]

File View Edit Tools Window Help

Drafts

BRS:

IS&R:

IS&R: ("1000009").PN.

Pending

Active

L4: (31) L1 and wear

L5: (26) L1 and friction

L6: (17) 12 and (friction or wear)

L7: (21) 13 and (friction or wear)

L10: (50) 18 and (friction or wear)

L11: (46) 19 and (friction or wear)

L1: (275) (296/216.06-216.09).CCLS.

L12: (0) 11 and B near2 shape

L13: (85) 11 and B

L14: (1) 18 and B near2 shape

L2: (114) (296/220.01).CCLS.

L15: (1) 19 and B near2 shape\$

L16: (67) 19 and B

L3: (111) (296/216.03).CCLS.

L17: (215) "49"/\$.ccls. and B with seal

L18: (3) "49"/\$.ccls. and B near2 shape\$ w

L9: (358) (49/495.1).CCLS.

L8: (589) (49/498.1).CCLS.

Failed

Saved

S1: (1) ("6010174").PN.

S2: (574) (296/97.9.97.11.97.12).CCLS.

Search

List

Browse

Queue

Clear

DBs

US-PGPUB:USPAT

Default operator:

OR

☒ Highlight all hit terms initially

49/498.1

Structured form

Custom form

BRS form

IS&R form

Hits

Details

Drafts

Pending

Active

Failed

Saved

Favorites

Tagged (4)

UDC

Queue

Trash

	Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error
9	BRS	L13	85	11 and B	US-P GPUB	2005/01/0 6 09:36		
10	BRS	L14	1	18 and B near2 shape	USPA T	2005/01/0 6 09:37		
11	IS&R	L2	114	(296/220.01).CCLS.	US-P GPUB	2005/01/0 6 09:41		
12	BRS	L15	1	19 and B near2 shape\$	US-P GPUB	2005/01/0 6 09:42		
13	BRS	L16	67	19 and B	US-P GPUB	2005/01/0 6 09:42		
14	IS&R	L3	111	(296/216.03).CCLS.	US-P GPUB	2005/01/0 6 09:48		
15	BRS	L17	215	"49"/\$.ccls. and B with seal	US-P GPUB	2005/01/0 6 09:49		
16	BRS	L18	3	"49"/\$.ccls. and B near2 shape\$ with sea	US-P GPUB	2005/01/0 6 09:50		
17	IS&R	L9	358	(49/495.1).CCLS.	US-P GPUB	2005/01/0 6 09:50		
18	IS&R	L8	589	(49/498.1).CCLS.	US-P GPUB	2005/01/0 6 10:11		

Hits

Details

HTML

Ready

NUM

BEST AVAILABLE COPY

EAST - [Untitled1:2]

File View Edit Tools Window Help

Drafts

- BRS:
- IS&R:
- IS&R: ("1000009").PN.

Pending

Active

- L4: (31) L1 and wear
- L5: (26) L1 and friction
- L6: (17) 12 and (friction or wear)
- L7: (21) 13 and (friction or wear)
- L10: (50) 18 and (friction or wear)
- L11: (46) 19 and (friction or wear)
- L1: (275) (296/216.06-216.09).CCLS.
- L12: (0) 11 and B near2 shape
- L13: (85) 11 and B
- L14: (1) 18 and B near2 shape
- L2: (114) (296/220.01).CCLS.
- L15: (1) 19 and B near2 shape\$
- L16: (67) 19 and B
- L3: (111) (296/216.03).CCLS.
- L17: (215) "49"/\$.ccls. and B with seal
- L18: (3) "49"/\$.ccls. and B near2 shape\$ w
- L9: (358) (49/495.1).CCLS.
- L8: (589) (49/498.1).CCLS.

Failed

Saved

- S1: (1) ("6010174").PN.
- S2: (574) (296/97.9.97.11.07.12).CCLS.

Search

List

Browse

Queue

Clear

DBs

US-PGPUB:USPAT

Default operator:

OR

☒ Highlight all hit terms initially

49/498.1

Structured form

Custom form

BRS form

IS&R form

Hits

Details

Drafts

Pending

Active

Failed

Saved

Favorites

Tagged (2)

UDC

Queue

Trash

	U	1	Document ID	Issue Dat	Page	Title	Current
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3706628 A	19721219	7	TEXT AVAILABLE IN USOCR DATABASE	428/122
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 2266703 A	19411216	4	Refrigerator cabinet [TEXT AVAILABLE IN USOC	62/272

Hits

Details

HTML

Ready

NUM

BEST AVAILABLE COPY

EAST - [Untitled1:2]

File View Edit Tools Window Help

Search List Browse Queue Clear

DBs US-PGPUB:USPAT

Default operator: OR ☒ Highlight all hit terms initially

49/498.1

Structured form Custom form BRS form IS&R form Hits Details

Drafts

- BRS:
- IS&R:
- IS&R: ("1000009").PN.

Pending

Active

- L4: (31) L1 and wear
- L5: (26) L1 and friction
- L6: (17) 12 and (friction or wear)
- L7: (21) 13 and (friction or wear)
- L10: (50) 18 and (friction or wear)
- L11: (46) 19 and (friction or wear)
- L1: (275) (296/216.06-216.09).CCLS.
- L12: (0) 11 and B near2 shape
- L13: (85) 11 and B
- L14: (1) 18 and B near2 shape
- L2: (114) (296/220.01).CCLS.
- L15: (1) 19 and B near2 shape\$
- L16: (67) 19 and B
- L3: (111) (296/216.03).CCLS.
- L17: (215) "49"/\$.ccls. and B with seal
- L18: (3) "49"/\$.ccls. and B near2 shape\$ w
- L9: (358) (49/495.1).CCLS.
- L8: (589) (49/498.1).CCLS.

Failed

Saved

- S1: (1) ("6010174").PN.
- S2: (574) (296/97.9.97.11.97.12).CCLS.

	Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error
9	BRS	L13	85	11 and B	US-P GPUB	2005/01/0 6 09:36		
10	BRS	L14	1	18 and B near2 shape	USPA T	2005/01/0 6 09:37		
11	IS&R	L2	114	(296/220.01).CCLS.	US-P GPUB	2005/01/0 6 09:41		
12	BRS	L15	1	19 and B near2 shape\$	US-P GPUB	2005/01/0 6 09:42		
13	BRS	L16	67	19 and B	US-P GPUB	2005/01/0 6 09:42		
14	IS&R	L3	111	(296/216.03).CCLS.	US-P GPUB	2005/01/0 6 09:48		
15	BRS	L17	215	"49"/\$.ccls. and B with seal	US-P GPUB	2005/01/0 6 09:49		
16	BRS	L18	3	"49"/\$.ccls. and B near2 shape\$ with sea	US-P GPUB	2005/01/0 6 09:50		
17	IS&R	L9	358	(49/495.1).CCLS.	US-P GPUB	2005/01/0 6 09:50		
18	IS&R	L8	589	(49/498.1).CCLS.	US-P GPUB	2005/01/0 6 10:11		

Hits Details HTML

Ready

NUM

BEST AVAILABLE COPY

EAST - [Untitled1:2]

File View Edit Tools Window Help

Drafts
Pending
Active
L1: (275) (296/216.06-216.09).CCLS.
L2: (114) (296/220.01).CCLS.
L3: (111) (296/216.03).CCLS.
L4: (31) L1 and wear
L5: (26) L1 and friction
L6: (17) 12 and (friction or wear)
L7: (21) 13 and (friction or wear)
L8: (589) (49/498.1).CCLS.
L9: (358) (49/495.1).CCLS.
L10: (50) 18 and (friction or wear)
L11: (46) 19 and (friction or wear)
Failed
Saved
S1: (1) ("6010174").PN.
S2: (574) (296/97.9,97.11,97.12).CCLS.
S3: (50) (296/136.07).CCLS.
S4: (0) (2004/0051347A1).CCLS.
S5: (1) ("20040051347").PN.
S6: (326) (296/216.06-216.08,219).CCLS.
S7: (943) ((296/155,208) or (59/78.1) or (
S8: (0) S7 and stack\$ near5 flat near2 cabl
S9: (0) S7 and stack\$ with flat near2 cabl
S10: (1460) (296/77.1,79,80,82-83,96.21,10
S11: (1) ("6742842").PN.
S12: (1) ("6742822").PN.

Search List Browse Queue Clear
DBs US-PG PUB: USPAT
Default operator: OR
Plurals
Highlight all hit terms initially

19 and (friction or wear)

Structured form Custom form BRS form IS&R form Hits Details

Drafts
Pending
Active
Failed
Saved
Favorites
Tagged (15)
UDC
Queue
Trash

	Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error
1	IS&R	L1	275	(296/216.06-216.09).CCLS.	US-P GPUB	2005/01/0 6 08:21		
2	IS&R	L2	114	(296/220.01).CCLS.	US-P GPUB	2005/01/0 6 08:31		
3	IS&R	L3	111	(296/216.03).CCLS.	US-P GPUB	2005/01/0 6 08:21		
4	BRS	L4	31	L1 and wear	US-P GPUB	2005/01/0 6 08:26		
5	BRS	L5	26	L1 and friction	US-P GPUB	2005/01/0 6 08:26		
6	BRS	L6	17	12 and (friction or wear)	US-P GPUB	2005/01/0 6 08:32		
7	BRS	L7	21	13 and (friction or wear)	US-P GPUB	2005/01/0 6 08:34		
8	IS&R	L8	589	(49/498.1).CCLS.	US-P GPUB	2005/01/0 6 08:36		
9	IS&R	L9	358	(49/495.1).CCLS.	US-P GPUB	2005/01/0 6 08:36		
10	BRS	L10	50	18 and (friction or wear)	US-P GPUB	2005/01/0 6 08:43		
11	BRS	L11	46	19 and (friction or wear)	US-P	2005/01/0		

Hits Details HTML

Ready

NUM

BEST AVAILABLE COPY

EAST - [Untitled1:2]

File View Edit Tools Window Help

Drafts Pending Active L1: (275) (296/216.06-216.09).CCLS. L2: (114) (296/220.01).CCLS. L3: (111) (296/216.03).CCLS. L4: (31) L1 and wear L5: (26) L1 and friction L6: (17) L2 and (friction or wear) L7: (21) L3 and (friction or wear) L8: (589) (49/498.1).CCLS. L9: (358) (49/495.1).CCLS. L10: (50) L8 and (friction or wear) L11: (46) L9 and (friction or wear) Failed Saved S1: (1) ("6010174").PN. S2: (574) (296/97.9,97.11,97.12).CCLS. S3: (50) (296/136.07).CCLS. S4: (0) (2004/0051347A1).CCLS. S5: (1) ("20040051347").PN. S6: (326) (296/216.06-216.08,219).CCLS. S7: (943) ((296/155,208) or (59/78.1) or (S8: (0) S7 and stack\$ near5 flat near2 cab S9: (0) S7 and stack\$ with flat near2 cabl S10: (1460) (296/77.1,79,80,82-83,96.21,10 S11: (1) ("6742842").PN. S12: (1) ("6742822").PN.

Search List Browse Queue Clear DBs US-PGPUB:USPAT Plurals Default operator: OR Highlight all hit terms initially

19 and (friction or wear)

Structured form Custom form BRS form IS&R form Hits Details

	Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error
2	IS&R	L2	114	(296/220.01).CCLS.	US-P GPUB	2005/01/0 6 08:31		
3	IS&R	L3	111	(296/216.03).CCLS.	US-P GPUB	2005/01/0 6 08:21		
4	BRS	L4	31	L1 and wear	US-P GPUB	2005/01/0 6 08:26		
5	BRS	L5	26	L1 and friction	US-P GPUB	2005/01/0 6 08:26		
6	BRS	L6	17	L2 and (friction or wear)	US-P GPUB	2005/01/0 6 08:32		
7	BRS	L7	21	L3 and (friction or wear)	US-P GPUB	2005/01/0 6 08:34		
8	IS&R	L8	589	(49/498.1).CCLS.	US-P GPUB	2005/01/0 6 08:36		
9	IS&R	L9	358	(49/495.1).CCLS.	US-P GPUB	2005/01/0 6 08:36		
10	BRS	L10	50	L8 and (friction or wear)	US-P GPUB	2005/01/0 6 08:43		
11	BRS	L11	46	L9 and (friction or wear)	US-P GPUB	2005/01/0 6 08:43		

Hits Details HTML

Ready NUM

BEST AVAILABLE COPY



Active

L11: (46) 19 and (friction or wear)

 Saved

S11: (1) ("6742842").PN.

MS12: (1) ("6742822").PN.

Clear

US-PGPUB; USPAT

Plurals

Default operator: OR ▼

☒ Highlight all hit terms initially

19 and (friction or wear)

Structured form Custom form BRS form IS&R form Hits Details

---⊙ Pending

 Active

☒ Failed

 Saved

☐ Favor

Tagged (15)

UDC

Queue

Trash

	U	1	Document ID	Issue Dat	Page	Title	Current
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20020070586	20020613	4	Openable motor vehicle roof sealing system for	296/216
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6394540 B1	20020528	10	Open roof construction for a vehicle	296/223
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5851051 A	19981222	5	Cover of a sliding-lifting roof or	296/216
4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4667966 A	19870526	4	Seal arrangement for the gap between a rigid	277/645
5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4765676 A	19880823	8	Rigid lid for an automobile roof	296/216
6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030150168	20030814	5	Sealing arrangements	49/490.
7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6389754 B1	20020521	13	Glass run of an automobile	49/441
8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5367831 A	19941129	5	Flush mount magnetic header seal	49/478.
9	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4970102 A	19901113	8	Weather stripping, particularly for the mo	428/122
10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4860495 A	19890829	5	Low friction plastic weatherstrip	49/498.
11	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4701376 A	19871020	3	Profiled strip for sealingly bordering win	428/358

[⚡ Hits](#)
[📖 Details](#)
[🇺🇸 HTML](#)

Ready

	NUM
--	-----

BEST AVAILABLE COPY

BEST AVAILABLE COPY